



TEMPA PANO

Enclosures engineered...

*"güvenilir
çözüm ortağınız,
"your reliable
solution partner,"*

HiT
HUMAN INTERFACE TECHNOLOGIES



www.tempapano.com

CATALOGUE 10



HEAD OFFICE / FACTORY

Makine İhtisas Organize Sanayi Bölgesi 2.Cadde No:1
Demirciler Mahallesi 41455 Dilovası / Kocaeli - TÜRKİYE
Tel : +90 262 642 63 40 Fax : +90 262 642 63 48 / 49
e-mail : sales@tempa.com.tr / satis@tempapano.com

TEMPA PANO UK

Tempa Pano House, 2 Goddard Road, Astmoor Industrial Estate, Runcorn, WA7 1QF
Tel : +44 (0) 1925 811 290
e-mail : sales@tempapano.co.uk

TEMPA FRANCE SAS

36, rue de l'industrie ZI La Tuilerie, 01540 VONNAS / FRANCE
Tel : +33 (0) 4 74 42 53 74
e-mail : contact@tempafrance.fr

R.T.S ELECTRO SRL

43A, Mehadia Street RO-060541, BUCHAREST 6 / ROMANIA
Tel : +40 21 260 1021 Tel : +40 21 260 1022 Fax : +40 21 222 3097
e-mail : office@rtselectro.ro

TEMPA SISTEM BG

Bulgaria/ Plovdiv, 4018 Markovsko shose - Plovdiv South 382 Gabieli Warehouse A4
Tel: +359 32 901760 Fax : +359 32 901777
e-mail : office@tempabg.com



Characteristics

Material

Galvanized Steel (EN 10346 DX51D+Z)

■ Frame : 1.5 mm

■ Panel : 1.5 mm

■ Door : 2 mm

■ Plinth : 2 mm

■ Mounting plate : 2 mm

Surface Finishing

■ RAL7035w powder coated outer surface

IP Rating

■ IP55 (TS 3033, EN 60529)

Others

■ EMC gasketed front door and rear panel

■ EMC gasketed side panels, top cover and plinth

■ Conductive interior surface

■ Swing-handle polyamide lock (4 points locking, 333 key)

■ Concealed hinge

■ Multiple mounting plate possibility

On Request

■ Custom sizes

■ Custom colour

■ Pre-punching



Supply Includes

■ Front and rear frame

■ Door

■ Rear panel

■ Mounting plate

■ Plinth

■ Top cover

■ Side panels

■ 4/6 pcs side rails

■ Door inside mounting profile

Complementary Accessories

■ Eye bolt

■ Rain canopy

■ Door inside mounting profile

■ Short mounting plate

■ Partial mounting plate

■ Carriage depth slide and support

■ Seperating profile

■ L, U and Z profiles

■ L and Z brackets

■ Busbar & depth profile


■ Ladder busbar profile


■ Plan pocket

■ Earthing cable



Width	Height	Depth	Reference	Door	Lock Type	Hinge	Side Panel		Mounting Plate		Weight
A	B	C		pcs		pcs	↔	↕	↔	↕	kg
mm	mm	mm					mm	mm	mm	mm	
400	1800	400	ASE 041840	1	I	3	270	1780	302	1702	78
		500	ASE 041850	1	I	3	370	1780	302	1702	85
		600	ASE 041860	1	I	3	470	1780	302	1702	92
		800	ASE 041880	1	I	3	670	1780	302	1702	105
	2000	400	ASE 042040	1	I	3	270	1980	302	1902	86
		500	ASE 042050	1	I	3	370	1980	302	1902	93
		600	ASE 042060	1	I	3	470	1980	302	1902	100
		800	ASE 042080	1	I	3	670	1980	302	1902	114
600	1800	400	ASE 061840	1	I	3	270	1780	502	1702	99
		500	ASE 061850	1	I	3	370	1780	502	1702	106
		600	ASE 061860	1	I	3	470	1780	502	1702	114
		800	ASE 061880	1	I	3	670	1780	502	1702	128
	2000	400	ASE 062040	1	I	3	270	1980	502	1902	108
		500	ASE 062050	1	I	3	370	1980	502	1902	116
		600	ASE 062060	1	I	3	470	1980	502	1902	123
		800	ASE 062080	1	I	3	670	1980	502	1902	139
800	1800	400	ASE 081840	1	I	3	270	1780	702	1702	120
		500	ASE 081850	1	I	3	370	1780	702	1702	127
		600	ASE 081860	1	I	3	470	1780	702	1702	135
		800	ASE 081880	1	I	3	670	1780	702	1702	151
	2000	400	ASE 082040	1	I	3	270	1980	702	1902	130
		500	ASE 082050	1	I	3	370	1980	702	1902	138
		600	ASE 082060	1	I	3	470	1980	702	1902	147
		800	ASE 082080	1	I	3	670	1980	702	1902	163





TEMPA PANO

Enclosures engineered...



*“your reliable
solution partner,”*

