



TEMPA PANO

Enclosures engineered...

*"güvenilir
çözüm ortağınız,
"your reliable
solution partner,"*

HiT
HUMAN INTERFACE TECHNOLOGIES





HEAD OFFICE / FACTORY

Makine İhtisas Organize Sanayi Bölgesi 2.Cadde No:1
Demirciler Mahallesi 41455 Dilovası / Kocaeli - TÜRKİYE
Tel : +90 262 642 63 40 Fax : +90 262 642 63 48 / 49
e-mail : sales@tempa.com.tr / satis@tempapano.com

TEMPA PANO UK

Tempa Pano House, 2 Goddard Road, Astmoor Industrial Estate, Runcorn, WA7 1QF
Tel : +44 (0) 1925 811 290
e-mail : sales@tempapano.co.uk

TEMPA FRANCE SAS

36, rue de l'industrie ZI La Tuilerie, 01540 VONNAS / FRANCE
Tel : +33 (0) 4 74 42 53 74
e-mail : contact@tempafrance.fr

R.T.S ELECTRO SRL

43A, Mehadia Street RO-060541, BUCHAREST 6 / ROMANIA
Tel : +40 21 260 1021 Tel : +40 21 260 1022 Fax : +40 21 222 3097
e-mail : office@rtselectro.ro

TEMPA SISTEM BG

Bulgaria/ Plovdiv, 4018 Markovsko shose - Plovdiv South 382 Gabieli Warehouse A4
Tel: +359 32 901760 Fax : +359 32 901777
e-mail : office@tempabg.com



Characteristics

Material

Sheet Steel (EN 10130 DC01)
■ Body : 1.2 mm
■ Lid : 1.2 mm
Galvanized Steel (EN 10346 DX51D+Z)
■ Mounting plate : 1.5 mm

Surface Finishing


■ RAL7035w powder coating

IP Rating

■ BK IP66 (TS 3033, EN 60529)


Others

■ All welded construction
■ Screwed plain lid
■ Foamed-in lid PU sealing gasket
■ Ready for DIN rail fixing



On Request

■ Custom sizes
■ Custom colour
■ Pre-punching
■ Glazed lid








Supply Includes


■ Body
■ Lid
■ Lid screws

Complementary Accessories

■ DIN rail
■ Mounting plate
■ Mounting plate and DIN rail fasteners
■ Earthing cable
■ Wall brackets 2/4

Width	Height	Depth	Reference	Useful Area			Wall Mounting				DIN Rail Fixing		Mounting Plate		Weight
A	B	C		Lid		Side	Side		Up/Down		↔ mm	↔ mm	↕ mm		
mm	mm	mm		↔ mm	↕ mm	↗ mm	↔ mm	↕ mm	↔ mm	↕ mm					
mm	mm	mm		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
150	150	120	BK 151512	120	120	98	---	108	---	174	100	125	120	1.7	
200	200	120	BK 202012	170	170	98	---	158	---	224	150	175	170	2.5	
300	200	120	BK 302012	270	170	98	324	158	258	224	250	275	170	3.3	
	300	120	BK 303012	270	270	98	324	258	258	324	2 x 250	275	270	4.4	
400	200	120	BK 402012	370	170	98	424	158	358	224	350	375	170	4.0	
	300	120	BK 403012	370	270	98	424	258	358	324	2 x 350	375	270	5.4	
	400	120	BK 404012	370	370	98	424	358	358	424	2 x 350	375	370	7.4	





TEMPA PANO

Enclosures engineered...



*“your reliable
solution partner,”*

