



TEMPA PANO

Enclosures engineered...

*"güvenilir
çözüm ortağınız,
"your reliable
solution partner,"*

HiT
HUMAN INTERFACE TECHNOLOGIES





HEAD OFFICE / FACTORY

Makine İhtisas Organize Sanayi Bölgesi 2.Cadde No:1
Demirciler Mahallesi 41455 Dilovası / Kocaeli - TÜRKİYE
Tel : +90 262 642 63 40 Fax : +90 262 642 63 48 / 49
e-mail : sales@tempa.com.tr / satis@tempapano.com

TEMPA PANO UK

Tempa Pano House, 2 Goddard Road, Astmoor Industrial Estate, Runcorn, WA7 1QF
Tel : +44 (0) 1925 811 290
e-mail : sales@tempapano.co.uk

TEMPA FRANCE SAS

36, rue de l'industrie ZI La Tuilerie, 01540 VONNAS / FRANCE
Tel : +33 (0) 4 74 42 53 74
e-mail : contact@tempafrance.fr

R.T.S ELECTRO SRL

43A, Mehadia Street RO-060541, BUCHAREST 6 / ROMANIA
Tel : +40 21 260 1021 Tel : +40 21 260 1022 Fax : +40 21 222 3097
e-mail : office@rtselectro.ro

TEMPA SISTEM BG

Bulgaria/ Plovdiv, 4018 Markovsko shose - Plovdiv South 382 Gabieli Warehouse A4
Tel: +359 32 901760 Fax : +359 32 901777
e-mail : office@tempabg.com



Characteristics

Material

Stainless Steel 304L (EN 10088 1.4307)

■ Body : 1.2 mm

■ Door : 1.2 mm

Galvanized (EN 10346 DX51D+Z)

■ Mounting plate : 1.5 mm

Surface Finishing

■ Scotch-brite brushed

IP Rating

■ IP 66 / IP 69K

Lock Insert

■ Stainless Steel 304

Others

■ Monoblock enclosure

■ Single Door with inserted silicone seal

■ Door hinged on the right, 110° door opening

■ Roof angled forwards by 30°

■ Sealing gasket dyed blue to clearly distinguish it from foodstuffs

■ FDA Compliant Seal (21 CFR 177.2600)

■ Special lock design allows for easy cleaning

On Request

■ Custom sizes



Supply Includes

■ Monoblock enclosure

■ Single Door with inserted seal

■ Door hinged on the right

■ Mounting plate


Complementary Accessories


■ Wall mounting adaptor

■ Levelling Feet



Width	Height Rear	Height Front	Depth	Reference	Door	Lock Type	Lock	Hinge	Wall Bracket	Weight	Application Options	
A	B	B1	C		pcs		pcs	pcs	pcs	kg	Wall Bracket Y / N	Levelling Feet Y / N
300	431	300	200	HS 110 030320	1	C	1	2	4	7.3	✓	✓
300	531	400	200	HS 110 030420	1	C	1	2	4	8.6	✓	✓
400	731	400	200	HS 110 040420	1	C	1	2	4	10.4	✓	✓
400	731	600	200	HS 110 040620	1	C	2	2	4	13.7	✓	✓
400	789	600	300	HS 110 040630	1	C	2	2	4	16	✓	✓
500	831	700	200	HS 110 050720	1	C	2	3	4	18	✓	✓
500	889	700	300	HS 110 050730	1	C	2	3	4	20	✓	✓
600	931	800	200	HS 110 060820	1	C	2	3	4	23	✓	✓
600	989	800	300	HS 110 060830	1	C	2	3	4	26	✓	✓
600	1189	800	300	HS 110 061030	1	C	2	3	4	30	✓	✓
800	1189	800	300	HS 110 080830	1	C	2	3	4	32.5	✓	✓
800	1189	1000	300	HS 110 081030	1	C	2	3	4	41.6	✓	✓
800	1389	1200	300	HS 110 081230	1	C	2	3	4	48	✓	✓





TEMPA PANO

Enclosures engineered...



*“your reliable
solution partner,”*

