



TEMPA PANO

Enclosures engineered...

*"güvenilir
çözüm ortağınız,
"your reliable
solution partner,"*

HiT
HUMAN INTERFACE TECHNOLOGIES





HEAD OFFICE / FACTORY

Makine İhtisas Organize Sanayi Bölgesi 2.Cadde No:1
Demirciler Mahallesi 41455 Dilovası / Kocaeli - TÜRKİYE
Tel : +90 262 642 63 40 Fax : +90 262 642 63 48 / 49
e-mail : sales@tempa.com.tr / satis@tempapano.com

TEMPA PANO UK

Tempa Pano House, 2 Goddard Road, Astmoor Industrial Estate, Runcorn, WA7 1QF
Tel : +44 (0) 1925 811 290
e-mail : sales@tempapano.co.uk

TEMPA FRANCE SAS

36, rue de l'industrie ZI La Tuilerie, 01540 VONNAS / FRANCE
Tel : +33 (0) 4 74 42 53 74
e-mail : contact@tempafrance.fr

R.T.S ELECTRO SRL

43A, Mehadia Street RO-060541, BUCHAREST 6 / ROMANIA
Tel : +40 21 260 1021 Tel : +40 21 260 1022 Fax : +40 21 222 3097
e-mail : office@rtselectro.ro

TEMPA SISTEM BG

Bulgaria/ Plovdiv, 4018 Markovsko shose - Plovdiv South 382 Gabieli Warehouse A4
Tel: +359 32 901760 Fax : +359 32 901777
e-mail : office@tempabg.com



Characteristics

Material

Sheet Steel (EN 10130 DC01)
■ Body : 1.2 mm
■ Lid : 1.2 mm
Galvanized Steel (EN 10346 DX51D+Z)
■ Mounting plate : 1.5 mm

Surface Finishing


■ RAL7035w powder coating

IP Rating

■ KB IP66 (TS 3033, EN 60529)


Others

■ All welded construction
■ Screwed plain lid
■ Foamed-in lid PU sealing gasket
■ Ready for mounting plate and DIN rail fixing



On Request

■ Custom sizes
■ Custom colour
■ Pre-punching
■ Glazed lid








Supply Includes


■ Body
■ Lid
■ Lid screws

Complementary Accessories

■ DIN rail
■ Mounting plate
■ Earthing cable
■ Wall brackets 2/4

Width	Height	Depth	Reference	Useful Area			Wall Mounting				DIN Rail Fixing		Mounting Plate		Weight
A	B	C		Lid		Side	Side		Up/Down		↔ mm	↔ mm	↕ mm		
mm	mm	mm		↔ mm	↕ mm	↗ mm	↔ mm	↕ mm	↔ mm	↕ mm					
mm	mm	mm		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
150	150	120	KB 151512	110	110	86	---	108	---	174	108	125	120	2.1	
200	200	120	KB 202012	160	160	86	---	158	---	224	158	175	170	2.9	
300	200	120	KB 302012	260	160	86	324	158	258	224	258	275	170	3.7	
	300	120	KB 303012	260	260	86	324	258	258	324	2 x 258	275	270	4.9	
400	200	120	KB 402012	360	160	86	424	158	358	224	358	375	170	4.6	
	300	120	KB 403012	360	260	86	424	258	358	324	2 x 358	375	270	5.9	
	400	120	KB 404012	360	360	86	424	358	358	424	2 x 358	375	370	7.3	





TEMPA PANO

Enclosures engineered...



*“your reliable
solution partner,”*

